



All the power of Yamaha ENGINEERED INTO A CAR

At Yamaha, we continually strive to innovate and design for the modern professional — and this time, we've taken the best of power, performance, and comfort, and infused it from the core out. Introducing UMAX. We've thought of everything you could want or need in an all-new line up of premium golf utility cars.

the All New
UMAX[™]



NEW
UNDER HOOD STORAGE
COMPARTMENT

STILL THE BEST
PREMIUM LED HEADLIGHTS

EVEN BETTER
COLOR OPTIONS

EVEN BETTER
LARGE 20" TIRES FOR
RUGGED TERRAIN

NEW
REDESIGNED
AUTOMOTIVE
STYLE DASH

STILL THE BEST
STORAGE BIN WITH
A NO-SLIP MAT

STILL THE BEST
EASY ACCESS ENGINE
COMPARTMENT

NEW
BRAKES AND ACCELERATOR PEDALS

NEW
FOUR-WHEEL BRAKES
(UMAX TWO MODEL ONLY)

NEW
ADDITIONAL STORAGE
(IN BETWEEN SEATS)

NEW
LUXURIOUS
BUCKET SEATS

EVEN BETTER
INNOVATIVE TOP

NEW
SIDE FILL GAS TANK

EVEN BETTER
LARGER UTILITY BED

NEW
ONE-HANDED TAILGATE
FOR EASY ACCESS

EVEN BETTER
DUMP BED LOCK

All the features A HARD WORKING professional could WANT

the All New
UMAX

With six color options, four-wheel brakes,* luxurious bucket seats, an under hood storage compartment, and large 20" tires, all with the quietness of a golf car, you can see the difference when power, performance, versatility, and comfort matter.



UNDER HOOD STORAGE COMPARTMENT

House all of your necessities in a sizable storage area, designed for convenience and effortless accessibility.



EFFORTLESS DUMP BED LOCK

Easily unlock the dump bed for unloading.



LUXURIOUS BUCKET SEATS

Derived from our award winning Viking® Side-by-Side, you can enjoy a comfortable ride with support that will last your entire work day.



LARGER UTILITY BED

Your maintenance team will have more volume than ever before to get the job done with a capacity of 10.4 cu. ft. in our UMAX One. For larger jobs, our UMAX Two has even more capacity with 12.9 cu. ft.




EASY ACCESS ENGINE COMPARTMENT

Comfortably reach the engine compartment without having to remove the dump bed.

MODERN COLORS

M = Metallic Paint



EASY ONE-HAND TAILGATE RELEASE

Swiftly open and close the tailgate.



CONVENIENT SIDE FILL GAS TANK

Makes for a quick, efficient fill-up.



INNOVATIVE TOP

Keep safety a priority with this protective and advanced top layer.



AUTOMOTIVE STYLE DASH

Completely redesigned for the modern professional.

*UMAX Two model only.

A CAR FOR EVERY CHALLENGE



UMAX TWO

Just as strong, resourceful, and reliable as the UMAX One, but additionally equipped with an even more substantial cargo bed. Measuring in at 41" long, 46" wide, and 12" deep, your maintenance team will have even more volume to work with.

UMAX RANGE PICKER

Outfitted with a strong diamond-webbed steel cage and an impact-resistant front windshield, discover the same Range Picker you already know and love — but this time, with an upgraded 402cc engine for premium torque and power.

UMAX ONE

With six color options, luxurious bucket seats, under hood storage compartment, and large 20" tires, you can see the difference when power, performance, versatility, and comfort matter.

UMAX FAIRWAY LOUNGE®

Servicing your customers is now easier than ever with our fully-redesigned UMAX Fairway Lounge. Featuring a four-lid ice chest, a sliding snack tray, and an optional coffee cambro, your guests will always have everything they need. We've also enhanced the shopping experience with slanted shelves equipped for displaying snacks and merchandise of your choice.

A complete
MOBILE SALES
profit **CENTER**

UMAX
FAIRWAY LOUNGE®

Servicing your customers is now easier than ever with our fully redesigned UMAX Fairway Lounge. Featuring a four-lid ice chest, a sliding snack tray, and an optional coffee cambro, your guests will have easy access to the refreshments they need, any time. We've also enhanced the entire shopping experience with slanted shelves perfectly equipped for displaying merchandise of your choice.



ADDITIONAL REAR SHELF

Easily prepare drinks with the newly added rear shelf.



SLIDING SNACK TRAY

Enjoy a specially designed space in your cooler for snacks that need to stay dry and chilled.



OPTIONAL COFFEE CAMBRO

Keep up to 2.5 gallons of beverage perfectly hot or cold for your guests.



DISPLAY CASE

We've enhanced the entire shopping experience with slanted shelves perfectly equipped for displaying a variety of snacks and merchandise of your choice.



MENU BOARDS

Two menu boards to display your specials of the day with a removable white board design.



FOUR-LID ICE CHEST

With four separate coolers, you won't have to sacrifice counter space as you reach for drinks, snacks, and other refreshments.



POTABLE ICE CHEST WITH ICE SCOOP HOLDER

Keep fresh ice on hand for when your guests need to cool down.



CASH DRAWER

Seamlessly integrated into the display cabinet, our solid steel cash drawer can be locked or easily removed.



FRONT STRUT-MOUNTED CUP DISPENSER

Accommodates most conventional 6-10 oz. cups.

EFFICIENT PARTNER

Get the job done with
RELIABLE POWER
and **PROTECTION**

UMAX
RANGE
PICKER

Outfitted with a strong diamond-webbed steel cage and an impact-resistant front windshield, discover the same Range Picker you already know and love — but this time, with an upgraded 402cc engine for premium torque and power.



**POWERFUL
402cc ENGINE**

Built to be strong, reliable, and resilient, even for your toughest job of the day.



**LARGER
UTILITY BED**

Your maintenance team will have more volume than ever before to get the job done with a capacity of 10.4 cu. ft. in our UMAX One. For larger jobs, our UMAX Two has even more capacity with 12.9 cu. ft.



**LUXURIOUS
BUCKET SEATS**

Enjoy a comfortable ride with support that will last your entire work day.



**IMPACT-RESISTANT
FRONT WINDSHIELD**

Work in confidence with a sturdy, durable polycarbonate windshield.



**DIAMOND-WEBBED
STEEL CAGE**

Work comfortably with this heavy-duty, protective steel layer.

The easy choice
**WHEN POWER, PERFORMANCE,
VERSATILITY AND COMFORT MATTER.**



SPECIFICATIONS

UMAX ONE EFI

DIMENSIONS	
OVERALL LENGTH	111.45 in (283.1 cm)
OVERALL HEIGHT (NO SUNTOP)	48.54 in (123.3 cm)
OVERALL HEIGHT (WITH SUNTOP)	71.81 in (182.4 cm)
OVERALL WIDTH	49.33 in (125.3 cm)
WHEELBASE	66.18 in (168.1 cm)
FRONT WHEEL TREAD	39.96 in (101.5 cm)
REAR WHEEL TREAD	40.19 in (102.1 cm)
MINIMUM GROUND CLEARANCE	4.56 in (11.6 cm)
DRY WEIGHT (WITH SUNTOP)	421.8 kg

GENERAL	
FUEL TANK CAPACITY	5.2 US GAL (20 LITERS)
TIRE SIZE	20x10-10 4ply Monitor K389 (front) K500 (rear)
SEATING CAPACITY	2 persons
AVAILABLE MODEL COLORS	Glacier Metallic: Jasper, Carbon, Aqua Blue, Noble Orange, Evergreen
AVAILABLE SEAT COLORS	Black
AVAILABLE SUNTOP COLORS	Black
WARRANTY	Standard 2-year limited vehicle warranty

ENGINE / DRIVE TRAIN	
ENGINE TYPE	Yamaha built 402cc, Low Emission Single Cylinder 60deg Incline OHV
LUBRICATION SYSTEM	Splash-style positive oil lubrication
OIL CAPACITY	1.16 U.S. quart (1.1 liter, 1100cc), Yamalube 10W-30
AIR CLEANER	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge
COOLING SYSTEM	Forced air
FUEL SYSTEM	Electronic fuel injection
STARTING SYSTEM	Starter generator with pedal start system
HORSEPOWER	3600 rpm (14.25 hp)

CHASSIS	
FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Unit swing arm with DUAL RATE coil springs over hydraulic shock absorbers
BRAKES	Self-adjusting mechanical, rear wheel drum brakes
CARGO BED MAX LOAD	300 lbs
ROLLING TRAILER MAX WEIGHT	800 lbs
MAX TONGUE WEIGHT	100 lbs
VEHICLE RATED CAPACITY	800 lbs
CARGO BED DIMENSIONS	33.2" L x 45.9" W x 11.9" H

PERFORMANCE	
MAX FORWARD SPEED	19.5 mph (31.4 km/h)
MAX REVERSE SPEED	17.5 mph (28 km/h)
MINIMUM TURNING RADIUS	3.48 m
G.V.W.	1,708 lbs

UMAX TWO EFI

DIMENSIONS	
OVERALL LENGTH	119.37 in (303.2 cm)
OVERALL HEIGHT (NO SUNTOP)	48.54 in (123.3 cm)
OVERALL HEIGHT (WITH SUNTOP)	71.81 in (182.4 cm)
OVERALL WIDTH	49.33 in (125.3 cm)
WHEELBASE	77.2 in (196.1 cm)
FRONT WHEEL TREAD	40.27 in (102.3 cm)
REAR WHEEL TREAD	40.19 in (102.1 cm)
MINIMUM GROUND CLEARANCE	4.52 in (11.5 cm)
DRY WEIGHT (WITH SUNTOP)	455.4 kg

GENERAL	
FUEL TANK CAPACITY	5.2 US GAL (20 LITERS)
TIRE SIZE	20x10-10 4ply Monitor K389 (front) K500 (rear)
SEATING CAPACITY	2 persons
AVAILABLE MODEL COLORS	Glacier Metallic: Jasper, Carbon, Aqua Blue, Noble Orange, Evergreen
AVAILABLE SEAT COLORS	Black
AVAILABLE SUNTOP COLORS	Black
WARRANTY	Standard 2-year limited vehicle warranty

ENGINE / DRIVE TRAIN	
ENGINE TYPE	Yamaha built 402cc, Low Emission Single Cylinder 60deg Incline OHV
LUBRICATION SYSTEM	Splash-style positive oil lubrication
OIL CAPACITY	1.16 U.S. quart (1.1 liter, 1100cc), Yamalube 10W-30
AIR CLEANER	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge
COOLING SYSTEM	Forced air
FUEL SYSTEM	Electronic fuel injection
STARTING SYSTEM	Starter generator with pedal start system
HORSEPOWER	3600 rpm (14.25 hp)

CHASSIS	
FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Unit swing arm with DUAL RATE coil springs over hydraulic shock absorbers
BRAKES	Self-adjusting mechanical, front and rear wheel drum brakes
CARGO BED MAX LOAD	800 lbs
ROLLING TRAILER MAX WEIGHT	1,200 lbs
MAX TONGUE WEIGHT	150 lbs
VEHICLE RATED CAPACITY	1,500 lbs
CARGO BED DIMENSIONS	41.1" L x 45.9" W x 11.9" H

PERFORMANCE	
MAX FORWARD SPEED	19.5 mph (31.4 km/h)
MAX REVERSE SPEED	17.5 mph (28 km/h)
MINIMUM TURNING RADIUS	3.98 m
G.V.W.	2,533 lbs

UMAX TWO AC

DIMENSIONS	
OVERALL LENGTH	119.37 in (303.2 cm)
OVERALL HEIGHT (NO SUNTOP)	48.54 in (123.3 cm)
OVERALL HEIGHT (WITH SUNTOP)	71.81 in (182.4 cm)
OVERALL WIDTH	49.33 in (125.3 cm)
WHEELBASE	77.2 in (196.1 cm)
FRONT WHEEL TREAD	40.27 in (102.3 cm)
REAR WHEEL TREAD	40.19 in (102.1 cm)
MINIMUM GROUND CLEARANCE	4.52 in (11.5 cm)
DRY WEIGHT (WITH SUNTOP)	639.6 kg (with Trojan T-105 batteries)

GENERAL	
TIRE SIZE	20x10-10 4ply Monitor K389 (front) K500 (rear)
SEATING CAPACITY	2 persons
AVAILABLE MODEL COLORS	Glacier Metallic: Jasper, Carbon, Aqua Blue, Noble Orange, Evergreen
AVAILABLE SEAT COLORS	Black
AVAILABLE SUNTOP COLORS	Black
WARRANTY	Standard 2-year limited vehicle warranty

ENGINE / DRIVE TRAIN	
MOTOR	48-volt AC
OUTPUT RATING	6.7 hp (5.0 kW FOR 60 minutes)
MOTOR CONTROL UNIT	NEOS 350 amp AC controller by Toyota Industries Corporation
BATTERIES	Standard: Eight 6-volt Trojan T-105 Batteries

CHASSIS	
FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Unit swing arm with DUAL RATE coil springs over hydraulic shock absorbers
BRAKES	Self-adjusting mechanical, front and rear wheel drum brakes
CARGO BED MAX LOAD	800 lbs
ROLLING TRAILER MAX WEIGHT	1,200 lbs
MAX TONGUE WEIGHT	150 lbs
VEHICLE RATED CAPACITY	1,500 lbs
CARGO BED DIMENSIONS	41.1" L x 45.9" W x 11.9" H

PERFORMANCE	
MAX FORWARD SPEED	19.5 mph (31.4 km/h)
MAX REVERSE SPEED	6.2 mph (10 km/h)
MINIMUM TURNING RADIUS	3.98 m
G.V.W.	2,910 lbs



1270 Chastain Road
Kennesaw, Georgia 30144
1.866.747.4027
YamahaGolfCar.com

