








Higher INNOVATION and PERFORMANCE in every car

Our specialty cars deliver it all. From the new and improved automotive style dash, to the largest seats in the industry, unparalleled versatility and the reliability of a Yamaha-built





CONNECTIONS

charged. Built right





To maintain power and stay

TWO USB

into the dash.



LARGEST, MOST COMFORTABLE SEAT IN THE INDUSTRY Made of pure supple foam bonded to a seamless, durable,



AUTOMOTIVE STYLE DASH

Fully independent front suspension for maximum performance and comfort.



PADDED STEERING WHEEL

Newly redesigned for more comfort and better handling.*



STORAGE BIN WITH NO-SLIP MAT

34% larger to keep more valuables in place, and right at hand.



LARGER SWEATER BASKET

Most storage and designed for easy cleaning.



Our newly designed dash has large, dual-sized cup

holders, room for more items like snacks and mobile

devices, and comes standard with two USB ports.*

HEADLIGHTS & TAILLIGHTS

If the sun goes down before the work is done, no worries. All specialty cars come with LED headlights and standard taillights. Excludes Adventurer Sport, which has halogen headlights.



LARGER REAR ACCESS PANEL

382% larger for ease of maintenance and cleaning.

THE KING of the CAMPSITE


Whether you're maintaining the greens or hauling gear for a weekend camping trip, the Adventurer Sport 2+2 — and all 300 pounds of its payload capacity — will be right there pulling for you. Of course, if you're in the mood for a bit of recreational off-roading, it's ready for that too!



Front brush guard is made of 3/16" steel, 1" round tubing, and 1-1/2" round tubing. Powder-coated for protection. A TRUE JACK-OF-ALL TRADES



WITH 20" TIRES,
FLIP DOWN SEATS,
AND 3" LIFT KIT,
IT'S A LOW
MAINTENANCE
AND RELIABLE
COMPANION.





HARD WORKING and ready to HAUL ANYTHING

Whether you're replacing water heaters, or setting up for the day's big event, this extra-large hauler will handle your load. With durable, low-maintenance engineering, and a super-sized aluminum cargo bed, it'll save you more than a few trips, not to mention headaches.



800 LBS PAYLOAD CAPACITY

72" x 48" super-sized, aluminum cargo bed



A generous storage space can be found under the front seats.

AVAILABLE COLORS



I = In-molded Color



On the control of the

Setting a HIGHER STANDARD for COMFORT

Whether giving a facility tour to clients or transporting guests around the hotel grounds, our Concierge 4 will impress. With a smooth, quiet ride and the widest, most comfortable seats in the industry, these vehicles provide a first-class experience.



#1 RATED

In customer satisfaction, customer support and reliability.



Additional legroom for your passengers.

Our rugged, powdercoated steel handle provides additional comfort and safety for rear seat passengers.







A reliable, **EFFICIENT SUPERIOR** passenger **CAR**

When your guests arrive, you want to make a lasting first impression. Knowing that, we've outfitted both our four and six-seat Concierge models with a wealth of features to impress even the most discerning passengers. Thanks to extra-smooth handling and a quiet ride, plus the widest bench seats in the industry, its first-class luxury sets the stage for a memorable visit.

MOST COMFORTABLE

SEAT IN THE INDUSTRY





Storage under two bench seats means you'll never have to make a second trip. Keep supplies on-hand and safely hidden.





Load up and ROLL OUT there's WORK to do

Don't let that comfortable seating and sporty design fool you. The Adventurer Sport may play nice, but when it's time to take on a tough job, it's ready to work hard. Fully equipped with a number of standard features like the tilting dump bed, 300 pound payload capacity, and 3 inch lift kit, it's a workhorse that every crew wants on their team.


CUBIC FOOT DUMP BED



With a 300 lb. payload capacity, pneumatic-assist tilting, fold & lock tailgate, and rotomolded linear polyethylene construction, this is where the hard work gets done.



This new addition to Yamaha's Tru-Trak™
Il automotive-style suspension not only looks sportier, but allows for mounting larger wheels, and improves ground clearance.



These sleek and stylish fender flares look great, and also protect you, your passengers, and your car from the occasional puddle of mud.

AVAILABLE COLORS



I = In-molded Color M = Metallic Pair



With our quiet gas cars boasting a 261-mile range and our electric cars wielding an industry-leading 6.5 horsepower motor:


OUR ONLY QUESTION FOR YOU IS REFUEL OR RECHARGE?

GAS



The new QuieTech EFI boasts the lowest decibel output of any gas car and features the industry's first-ever Independent Rear Suspension on a golf car. This unprecedented combination ensures your players experience a luxuriously quiet ride. At 45 MPG and less hydrocarbon emissions than the competition, we think you'll agree that choosing QuieTech EFI is the most sound business decision you could make for your golf course.

- Yamaha exclusive QuieTech EFI technology
- Independent Rear Suspension (IRS)
- · Industry-leading fuel economy
- 12.8% more miles to the gallon over the competition 45 MPG⁽¹⁾
- · Yamaha-built engine, designed and built for durability
- Fewest emissions and up to 76% fewer pollutants than the competitors*
- All Yamaha Golf Cars are proudly built in Newnan, Georgia



ELECTRIC



Our new electric Drive² puts the power in PowerTech AC. Prepare yourself for an energy-efficient, electric solution that features smooth acceleration and unrivaled hill-climbing ability like you've never experienced before. Our electric cars make battery power synonymous with horsepower, while giving your players a silky smooth ride.

- PowerTech AC Electric Drive
- · Toyota Industries-built motor control unit
- Reliability and proven performance
- · Cradle smooth rear suspension system
- Equipped with industry-leading Trojan T-875 batteries
- Best hill-climbing ability
- Yamaha-built charger
- All Yamaha Golf Cars are proudly built in Newnan, Georgia





⁽¹⁾Independent laboratory testing in a fleet environment by Transportation Research Center, Inc. 2015, on model year 2016 cars.

CUSTOMIZED ACCESSORIES

LED Front Logo



Attention grabbing LED lit logo for

LED Taillights

Optional LED ANSI compliant

Premium Light Package





Turn signal package (includes LED

Light Package



Ultra Premium PTV Upgrade Kit adds daytime running lights (DRL), LED turn signals and upgraded Sequintial LED brake lights. Includes random key switch.

Enclosure



Fits over the roof and features easily stored zip-off windshield easy-zip doors, and quick, easy adjustment. Installs in minute Includes deluxe carrying case.



Steering Wheel

3-spoke design with black molded polyurethane grip. Silver anodized spokes. 11 1/2" diameter



4"x 6" side mirrors mount to the sun top uprights. Made of durable black automotive ABS. Easy install.

Stereo Console



Console includes speakers and atures black roto-molded, foam-insulated, double-wall plastic vehicle top. Stereo not included.



Includes Bluetooth connectivity for Android smartphones and USB connections for iPod®/iPhone® calling and listening services.

Bluetooth Media Receiver



Connect your Yamaha golf car to your



wireless remote control system. door openers and gate syste



Straps conveniently into your golf bag strap. Perfect for carrying groceries, shopping bags, boxes

Parking Pad



Made with a poly film backing to protect your garage floor.

Chrome Kick Plate

Car Storage Cover



Made of high performance, heavy duty vinyl, with sealed seams and ndustrial zippers, custom-tailored to fit over the ClimaGuard™ Ton

Optional Black Seat



Widest, most comfortable seat, contoured for the most ergonomic ride.

Optional Black Top



Protection from the elements. Our ClimaGuard™ top with dual gutters is 33% larger than the nearest

Classic RFS Kit



Complete, easy-to-install rear facing seat kit converts easily to light duty cargo area.

Eight 6-Volt Battery Option

We offer eight 6-volt Trojan T-105 30% more range and an extended life due to a lower depth of discharge

Includes a sleek, modern, easy to care for kick-plate to protect

Polycarbonate Split Windshield (clear or tinted)



Clear Split Windshield

Tinted Split Windshield With a contoured bottom designed to hug the front of the vehicle and seal out the elements, this polycarbonate windshield has a flexible hinge that

allows the windshield to smoothly fold and lock in place

Millennia MA100 Speaker/Amp Package



This Bluetooth® audio kit has no external buttons or lights, giving your golf car a clean look. Include: two speakers and all wiring.

Bluetooth® with **Volume Control**



device is iPhone and Android compatible and it features three connection ontions. Connects to



Easy to operate, waterproof MA100 Speaker/Amp Package (sold

USB Charging Ports



Two ports to maintain powe and stay charged. Built right into the dash



4 SPOKE ALLOY WHEEL AVAILABLE IN 10" & 12" SIZES



10" SILVER CASINO WITH KENDA LOADSTAR 205/65-10 TIRE



10" BLACK CASINO WITH KENDA LOADSTAR

See the Yamaha Parts and Accessories Catalog to view the full line of golf car accessories.

4 PASSENGER QUIETECH EFI

DIMENSIONS

OVERALL LENGTH	127.2 in (323 cm)
OVERALL WIDTH	47.2 in (120 cm)
OVERALL HEIGHT (no suntop)	48.8 in (124 cm)
WHEEL BASE	98.0 in (249 cm)
TREAD (FRONT)	34.6 in (88 cm)
TREAD (REAR)	38.2 in (97 cm)
MINIMUM GROUND CLEARANCE	5.9 in (15 cm)
DRY WEIGHT WITH SUNTOP	441.6 kg
FLOOR BOARD HEIGHT	13.4 in (34 cm)

GENERAL

FUEL TANK CAPACITY	22 liters (5.8 gallons)
TIRE SIZE	205/65-10 4PLY
SEATING CAPACITY	4 persons
AVAILABLE MODEL COLORS	Glacier Metallic: Bluestone, Rich Brown, Moonstone, Sandstone, Onyx, Aqua Blue, Jasper
AVAILABLE SEAT COLORS	Standard: Stone Optional: Black
AVAILABLE SUNTOP COLORS	Stone, Black , White
WARRANTY	Standard 2 year limited vehicle warranty

ENGINE

TYPE OF ENGINE	Yamaha-built 357cc, low-emission single cylinder 60° incline OHV
LUBRICATION SYSTEM	Splash-style positive oil lubrication
OIL CAPACITY (L)	1 U.S. quart (1 Liter, 1000cc)
TYPE OF AIR CLEANER	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge
COOLING SYSTEM	Forced Air
FUEL SYSTEM	Electronic Fuel Injection
STARTING SYSTEM	Starter Generator with pedal start

CHASSIS

FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier Color. Custom- formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive- grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Fully independent automotive-style strut suspension
BRAKE SYSTEM (MAIN)	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front and rear 5 mph energy-absorbing bumpers

PERFORMANCE

MAXIMUM SPEED	19 mph (31 km/h)
MINIMUM TURNING RADIUS	14.4 ft (4.4 m)

4 PASSENGER POWERTECH AC

DIMENSIONS

OVERALL LENGTH	127.2 in (323 cm)
OVERALL WIDTH	47.2 in (120 cm)
OVERALL HEIGHT (no suntop)	48.4 in (123 cm)
WHEEL BASE	98.0 in (249 cm)
TREAD (FRONT)	34.6 in (88 cm)
TREAD (REAR)	38.2 in (97 cm)
MINIMUM GROUND CLEARANCE	5.5 in (14 cm)
WEIGHT WITH SUNTOP AND TROJAN T-875 BATTERIES	563 kg
FLOOR BOARD HEIGHT	13.0 in (33 cm)

GENERAL

TIRE SIZE	205/65-10 4PLY
SEATING CAPACITY	4 persons
AVAILABLE MODEL COLORS	Glacier Metallic: Bluestone, Rich Brown, Moonstone, Sandstone, Onyx, Aqua Blue, Jasper
AVAILABLE SEAT COLORS	Standard: Stone Optional: Black
AVAILABLE SUNTOP COLORS	Stone, Black , White
WARRANTY	Standard 2 year limited vehicle warranty

MOTOR / DRIVE TRAIN / POWER SUPPLY

MOTOR	48-Volt AC
OUTPUT RATING	6.7 hp (5.0 kW) for 60 minutes
MOTOR CONTROL UNIT	NEOS 350 amp AC controller by Toyota Industries Corporation
BATTERIES	Standard: Six 8-volt Trojan T-875 Batteries, Optional: Eight 6-volt Trojan T-105 Batteries

CHASSIS

FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/ urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier Color. Custom- formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive- grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Unit swing arm with coil springs over hydraulic shock absorbers
BRAKES	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front and rear 5 mph energy-absorbing bumpers
PERFORMANCE	

PERFORMANCE

MAXIMUM SPEED	19 mph (31 km/h)
MINIMUM TURNING RADIUS	14.4 ft (4.4 m)

6 PASSENGER QUIETECH EFI

DIMENSIONS

OVERALL LENGTH	161.0 in (409 cm)
OVERALL WIDTH	47.3 in (120 cm)
OVERALL HEIGHT (no suntop)	48.8 in (124 cm)
WHEEL BASE	131.9 in (335 cm)
TREAD (FRONT)	34.6 in (88 cm)
TREAD (REAR)	38.2 in (97 cm)
MINIMUM GROUND CLEARANCE	5.9 in (15 cm)
DRY WEIGHT WITH SUNTOP	523.6 kg
FLOOR BOARD HEIGHT	13.4 in (34 cm)

GENERAL

FUEL TANK CAPACITY	22 liters (5.8 gallons)
TIRE SIZE	205/65-10 4PLY
SEATING CAPACITY	6 persons
AVAILABLE MODEL COLORS	Glacier Metallic: Bluestone, Rich Brown, Moonstone, Sandstone, Onyx, Aqua Blue, Jasper
AVAILABLE SEAT COLORS	Standard: Stone Optional: Black
AVAILABLE SUNTOP COLORS	Stone, Black , White
WARRANTY	Standard 2 year limited vehicle warranty

ENGINE

TYPE OF ENGINE	Yamaha-built 357cc, low-emission single cylinder 60° incline OHV
LUBRICATION SYSTEM	Splash-style positive oil lubrication
OIL CAPACITY (L)	1 U.S. quart (1 Liter, 1000cc)
TYPE OF AIR CLEANER	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge
COOLING SYSTEM	Forced Air
FUEL SYSTEM	Electronic Fuel Injection
STARTING SYSTEM	Starter Generator with pedal start

CHASSIS

FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/ urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier Color. Custom- formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive- grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Fully independent automotive-style strut suspension
BRAKE SYSTEM (MAIN)	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front and rear 5 mph energy-absorbing bumpers

PERFORMANCE

MAXIMUM SPEED	19 mph (31 km/h)
MINIMUM TURNING RADIUS	18.7 ft (5.7 m)

6 PASSENGER POWER TECH AC

DIMENSIONS

OVERALL LENGTH	161.0 in (409 cm)
OVERALL WIDTH	47.2 in (120 cm)
OVERALL HEIGHT (no suntop)	48.4 in (123 cm)
WHEEL BASE	131.9 in (335 cm)
TREAD (FRONT)	34.6 in (88 cm)
TREAD (REAR)	38.2 in (97 cm)
MINIMUM GROUND CLEARANCE	5.5 in (14 cm)
WEIGHT WITH SUNTOP AND TROJAN T-875 BATTERIES	627 kg
FLOOR BOARD HEIGHT	13.0 in (33 cm)

GENERAL

TIRE SIZE	205/65-10 4PLY
SEATING CAPACITY	6 persons
AVAILABLE MODEL COLORS	Glacier Metallic: Bluestone, Rich Brown, Moonstone, Sandstone, Onyx, Aqua Blue, Jasper
AVAILABLE SEAT COLORS	Standard: Stone Optional: Black
AVAILABLE SUNTOP COLORS	Stone, Black , White
WARRANTY	Standard 2 year limited vehicle warranty

MOTOR / DRIVE TRAIN / POWER SUPPLY

MOTOR	48-Volt AC
OUTPUT RATING	6.7 hp (5.0 kW) for 60 minutes
MOTOR CONTROL UNIT	NEOS 350 amp AC controller by Toyota Industries Corporation
BATTERIES	Standard: Six 8-volt Trojan T-875 Batteries, Optional: Eight 6-volt Trojan T-105 Batteries

CHASSIS

FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier Color. Custom- formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive- grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Unit swing arm with coil springs over hydraulic shock absorbers
BRAKES	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front and rear 5 mph energy-absorbing bumpers

PERFORMANCE

MAXIMUM SPEED	19 mph (31 km/h)
MINIMUM TURNING RADIUS	18.7 ft (5.7 m)

SUPFR HAUI FR FFI

DIMENSIONS

OVERALL LENGTH	142.9 in (363 cm)
OVERALL WIDTH	53.5 in (136 cm)
OVERALL HEIGHT (NO SUNTOP)	48.8 in (124 cm)
WHEEL BASE	98.0 in (249 cm)
TREAD (FRONT)	34.6 in (88 cm)
TREAD (REAR)	38.2 in (97 cm)
MINIMUM GROUND CLEARANCE	5.9 in (15 cm)
DRY WEIGHT WITH SUNTOP	431 kg
FLOOR BOARD HEIGHT	13.4 in (34 cm)

GENERAL

FUEL TANK CAPACITY	22 liters (5.8 gallons)
TIRE SIZE	205/65-10 4PLY
SEATING CAPACITY	2 persons
AVAILABLE MODEL COLORS	Glacier
AVAILABLE SEAT COLORS	Standard: Black Optional: Stone
AVAILABLE SUNTOP COLORS	Standard: Black
WARRANTY	Standard 2 year limited vehicle warranty

ENGINE

TYPE OF ENGINE	Yamaha-built 357cc, low-emission single cylinder 60° incline OHV
LUBRICATION SYSTEM	Splash-style positive oil lubrication
OIL CAPACITY (L)	1 U.S. quart (1 Liter, 1000cc)
TYPE OF AIR CLEANER	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge
COOLING SYSTEM	Forced Air
FUEL SYSTEM	Electronic Fuel Injection
STARTING SYSTEM	Starter Generator with pedal start

CHASSIS

FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier Color
STEERING	Self-compensating double reduction helical rack- and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Fully independent automotive-style strut suspension
BRAKE SYSTEM (MAIN)	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front 5 mph energy-absorbing bumper

CARGO BED SIZE

	LENGTH	72 in (182.88 cm)
	WIDTH	48.0 in (121.92 cm)
	HEIGHT	7.8 in (20.0 cm)
	CARGO BED CAPACITY	800 lbs

PERFORMANCE

MAXIMUM SPEED	19 mph (31 km/h)
MINIMUM TURNING RADIUS	14.4 ft (4.4 m)

SUPER HAULER AC

DIMENSIONS

OVERALL LENGTH	142.9 in (363 cm)
OVERALL WIDTH	53.5 in (136 cm)
OVERALL HEIGHT (NO SUNTOP)	48.4 in (123 cm)
WHEEL BASE	98.0 in (249 cm)
TREAD (FRONT)	34.6 in (88cm)
TREAD (REAR)	38.2 in (97cm)
MINIMUM GROUND CLEARANCE	5.5 in (14 cm)
WEIGHT WITH SUNTOP AND TROJAN T-875 BATTERIES	442.5 kg
FLOOR BOARD HEIGHT	13.0 in (33 cm)

GENERAL

TIRE SIZE	205/65-10 4PLY
SEATING CAPACITY	2 persons
AVAILABLE MODEL COLORS	Glacier
AVAILABLE SEAT COLORS	Standard: Black Optional: Stone
AVAILABLE SUNTOP COLORS	Standard: Black
WARRANTY	Standard 2 year limited vehicle warranty

MOTOR / DRIVE TRAIN / POWER SUPPLY

MOTOR	48-Volt AC
OUTPUT RATING	6.7 hp (5.0 kW) for 60 minutes
MOTOR CONTROL UNIT	NEOS 350 amp AC controller by Toyota Industries Corporation
BATTERIES	Standard: Six 8-volt Trojan T-875 Batteries, Optional: Eight 6-volt Trojan T-105 Batteries

CHASSIS

FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier Color
STEERING	Self-compensating double reduction helical rack- and-pinion
FRONT SUSPENSION	Tru-Trak II ™ fully independent automotive-style strut suspension
REAR SUSPENSION	Unit swing arm with coil springs over hydraulic shock absorbers
BRAKES	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front 5 mph energy-absorbing bumper

CARGO BED SIZE

LENGTH	46.4 in (177.9 cm)
WIDTH	47.0 in (119.4 cm)
HEIGHT	7.8 in (20.0 cm)
CARGO BED CAPACITY	800 lbs

PERFORMANCE

MAXIMUM SPEED	19 mph (31 km/h)
MINIMUM TURNING RADIUS	14.4 ft (4.4 m)

ADVENTURER 2+2 QUIETECH EFI

DIMENSIONS

OVERALL LENGTH	108.3 in (275 cm)
OVERALL WIDTH	50.8 in (129 cm)
OVERALL HEIGHT (no suntop)	50.4 in (128 cm)
WHEEL BASE	65.0 in (165 cm)
TREAD (FRONT)	37.8 in (96 cm)
TREAD (REAR)	39.8 in (101 cm)
MINIMUM GROUND CLEARANCE	6.3 in (16 cm)
DRY WEIGHT WITH SUNTOP	424.5 kg
FLOOR BOARD HEIGHT	15.0 in (38 cm)

GENERAL

FUEL TANK CAPACITY	22 liters (5.8 gallons)
TIRE SIZE	20x10-8 (4PLY)
SEATING CAPACITY PERSONS	4 persons
AVAILABLE MODEL COLORS	Glacier Metallic: Bluestone, Rich Brown, Moonstone, Sandstone, Onyx, Aqua Blue, Jasper
AVAILABLE SEAT COLORS	Standard: Stone Optional: Black
AVAILABLE SUNTOP COLORS	Stone, Black , White
WARRANTY	Standard 2 year limited vehicle warranty

ENGINE

TYPE OF ENGINE	Yamaha-built 357cc, low- emission single cylinder 60° incline OHV
LUBRICATION SYSTEM	Splash-style positive oil lubrication
OIL CAPACITY (L)	1 U.S. quart (1 Liter, 1000cc)
TYPE OF AIR CLEANER	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge
COOLING SYSTEM	Forced Air
FUEL SYSTEM	Electronic Fuel Injection
STARTING SYSTEM	Starter Generator with pedal star

CHASSIS

FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full- immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier Color. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Fully independent automotive- style strut suspension
BRAKE SYSTEM (MAIN)	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front and rear 5 mph energy- absorbing bumpers

PERFORMANCE

MAXIMUM SPEED	15 mph (24 km/h)
MINIMUM TURNING RADIUS	9.8 ft (3.0 m)

ADVENTURER 2+2 POWERTECH AC

DIMENSIONS

OVERALL LENGTH	108.3 in (275 cm)
OVERALL WIDTH	50.8 in (129 cm)
OVERALL HEIGHT (no suntop)	50.4 in (128 cm)
WHEEL BASE	65.0 in (165 cm)
TREAD (FRONT)	37.8 in (96 cm)
TREAD (REAR)	40.2 in (102 cm)
MINIMUM GROUND CLEARANCE	5.1 in (13 cm)
WEIGHT WITH SUNTOP AND TROJAN T-875 BATTERIES	524 kg
FLOOR BOARD HEIGHT	15.0 in (38 cm)

GENERAL

TIRE SIZE	20x10-8 (4PLY)
SEATING CAPACITY	4 Persons
AVAILABLE MODEL COLORS	Glacier Metallic: Bluestone, Rich Brown, Moonstone, Sandstone, Onyx, Aqua Blue, Jasper
AVAILABLE SEAT COLORS	Standard: Stone Optional: Black
AVAILABLE SUNTOP COLORS	Stone, Black , White
WARRANTY	Standard 2 year limited vehicle warranty

MOTOR / DRIVE TRAIN / POWER SUPPLY

MOTOR	48-Volt AC
OUTPUT RATING	6.7 hp (5.0 kW) for 60 minutes
MOTOR CONTROL UNIT	NEOS 350 amp AC controller by Toyota Industries Corporation
BATTERIES	Standard: Six 8-volt Trojan T-875 Batteries, Optional: Eight 6-volt Trojan T-105 Batteries

HybriCore™ Chassis features

CHASSIS

MINIMUM TURNING RADIUS

FRAME	a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat	
BODY	Mold-in Polypropylene for Glacier Color. Custom- formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane	
STEERING	Self-compensating double reduction helical rack-and-pinion	
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension	
REAR SUSPENSION	Unit swing arm with coil springs over hydraulic shock absorbers	
BRAKES	Self-adjusting mechanical, rear wheel drum brakes	
BUMPERS	Front and rear 5 mph energy- absorbing bumpers	
PERFORMANCE		

15 mph (24 km/h)

9.8 ft (3.0 m)

DIMENSIONS

OVERALL LENGTH	104.7 in (266 cm)
OVERALL WIDTH	48.8 in (124 cm)
OVERALL HEIGHT (no suntop)	47.2 in (120 cm)
WHEEL BASE	64.6 in (164 cm)
TREAD (FRONT)	34.6 in (88 cm)
TREAD (REAR)	38.6 in (98 cm)
MINIMUM GROUND CLEARANCE	4.3 in (11 cm)
DRY WEIGHT WITH SUNTOP	346 kg
FLOOR BOARD HEIGHT	14.6 in (37 cm)

GENERAL

FUEL TANK CAPACITY	22 liters (5.8 gallons)
TIRE SIZE	20x10-8 (4PLY)
SEATING CAPACITY PERSONS	4 persons
AVAILABLE MODEL COLORS	Glacier Metallic: Bluestone, Rich Brown, Moonstone, Sandstone, Onyx, Aqua Blue, Jasper
AVAILABLE SEAT COLORS	Standard: Stone Optional: Black
AVAILABLE SUNTOP COLORS	Stone, Black , White
WARRANTY	Standard 2 year limited vehicle warranty

ENGINE

TYPE OF ENGINE	Yamaha-built 357cc, low- emission single cylinder 60° incline OHV
LUBRICATION SYSTEM	Splash-style positive oil lubrication
OIL CAPACITY (L)	1 U.S. quart (1 Liter, 1000cc)
TYPE OF AIR CLEANER	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge
COOLING SYSTEM	Forced Air
FUEL SYSTEM	Electronic Fuel Injection
STARTING SYSTEM	Starter Generator with pedal start

CHASSIS

FRAME	a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier Color. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Unit swing arm with coil springs over hydraulic shock absorbers
BRAKE SYSTEM (MAIN)	self-adjusting mechanical, rear wheel drum brakes
BUMPERS	front and rear 5 mph energy- absorbing bumpers

HybriCore™ Chassis features

PERFORMANCE

MAXIMUM SPEED	15 mph (24 km/h)
MINIMUM TURNING RADIUS	9.8 ft (3.0 m)



1270 Chastain Road Kennesaw, Georgia 30144 1.866.747.4027 YamahaGolfCar.com









